

INDEX MAPS.

T.8N R.3W 2nd Mer.

	390		390		389		389		389		389
392	6	402	5	401	4	414	3	415	2	413	1 388
	402		400		401		415		413		413
392	7	400	8	400	9	414	10	414	11	408	12 388
	401		398		399		412		412		408
391	18	398	17	398	16	411	15	412	14	408	13 388
	399		416		397		411		410		407
391	19	396	20	397	21	404	22	410	23	407	24 387
	396		394		393-395		409		409		407
391	30	394	29	395	28	404	27	409	26	406	25 387
	395		393		405		403		403		406
390	31	393	32	405	33	404	34	403	35	405	36 387
	386		386		386		385		385		385

T.9N R.3W 2nd Mer.

	422		422		421		421		421		421
424	6	446	5	446	4	433	3	435	2	435	1 420
	445		444		444		433		434		435
424	7	444	8	445	9	432	10	433	11	434	12 420
	445		443		442		432		431		431
423	18	443	17	442	16	432	15	431	14	428	13 419
	442		440		439		430		430		428
423	19	440	20	439	21	438	22	429	23	427	24 419
	440		441		438		429		426-427		426
423	30	441	29	438	28	437	27	427	26	425	25 419
	437		437		436		429		426		424
422	31	437	32	436	33	436	34	426	35	424	36 418
	418		418		417		417		417		417

(F) The figures on the lines refer to the page.

Township N^o 9 North of Range N^o 3 West 2nd Mer. (Ind^o)

Ch. W. South Boundary Apr. 11 1811. B. 145

West On the South Boundary of sec. 36. T. N^o 9. R. 3 W.
From the cor. of T. 8 & 9. R. 2 & 3 W.

19.50 To a Brook, 50 links wide, Corner S.W.

40.00 Set a post for the cor. of 1/4 sec. from which a
Beech 13 in dia. bears S 74 E. 44 the dist; 10
Log 16 " " " N 77 W. 43 " "

80.00 Set a post for the cor. of sec. 35 & 36. From which a
Hickory 15 in dia. bears N 76 E. 27 links dist; 10
Log 4 " " " S 70 W. 25 " "
Hilly Bush Sand.

West On the South Boundary of sec. 35 T. N^o 9. R. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
W. Oak 16 in dia. bears N 10 W. 2 the dist; 10
Sugar 5 " " " S 36 W. 37 " "

80.00 Set a post for the cor. of sec. 34 & 35 from which a
Beech 13 in dia. bears N 70 W. 28 the dist; 10
Log 12 " " " S 13 E. 26 " "
Poor hilly Oak Sand

West On the South Boundary of sec. 34 T. N^o 9. R. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar 5 in dia. bears N 57 E. 3 links dist; 10
Beech 12 " " " S 50 W. 51 " "

67.50 To a Brook 5 links wide, Corner S.E.

80.00 Set a post for the cor. of sec. 33 & 34 from which a
Sassafras 8 in dia. bears East 16 the dist; 10
Poplar 6 " " " S 36 W. 28 " "
Hilly rich land Timber Poplar, Sugar 10

West On the South Boundary of sec. 33. T. N^o 9. R. 3 W.

17.00 To a Brook 8 links wide, Corner S.W.

T. T. No. 9. N. R. No. 3. W. 2nd Mer. Ind.

40.00 Let a post for the cor. of 14th Sec. from which a
 Beck. 15 in dir. bears N46 E. 19 1/2 mi. dist; 19
 Co. 14 " " " S60 W. 29 " "
 80.00 Let a post for the cor. of sec. 32 & 33. from which a
 Sugar 9 in dir. bears N82 E. 26 1/2 mi. dist; 20
 Co. 12 " " " S83 W. 33 " "
 Hill, 7 Beck. Lands.

West On the South Boundary of sec. 32. T. N. 9. R. 3 W.
 38.50 Soil Brook 10 miles in, Course S W.
 40.00 Let a post for the cor. of 14th Sec. from which a
 Sugar 13 in dir. bears S43 E. 4 1/2 mi. dist; 20
 Co. 12 " " " N55 W 42 " "
 64.50 Soil Brook. 10 miles in, Course S E.
 80.00 Let a post for the cor. of sec. 31 & 32 from which a
 R. Oak 36 in dir. bears S39 W. 27 1/2 mi. dist; 20
 Beck 18 " " " N20 W. 26 " "
 Lands including grove. Timber Beck Sugar 20

West On the South Boundary of sec. 31. T. N. 9. R. 3 W.
 35.00 Soil Brook. 12 miles in, Course S. W.
 40.00 Let a post for the cor. of 14th Sec. from which a
 Beck. 9 in dir. bears N10 E. 11 1/2 mi. dist; 20
 Co. 18 " " " S46 E. 26 " "
 80.00 Let a temporary post for the cor. of T. 8, 8, & 9. 9
 N. R. 3. & 4
 Lands sit under timber same as last entry.

East Boundary

April 8. 1811

North On the East Boundary of sec. 36. T. N. 9. R. 3 W.
 from the cor. of T. 8. 19. R. 2. & 3 W.
 18.50 Soil Brook 60 mi. in, Course S W.

B

as

2

T. N. 9. N. R. N. 3 W. 2nd Mer. (Sec. 9)

25.00 To a Brook 15 links wide, Corner S. E.
 33.50 " " Do. 15 " " " " S. W.
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Sugar 11 in air: bears N 27 E. 13 links dist; 1/2
 Do. 12 " " " S 27 W. 15 " "
 45.00 To a Pile 30 in air: stands in the line.
 80.00 Set apart for the cor. of sec. 25 136 from which a
 Sugar 10 in air: bears N 47 E. 31 links dist; 1/2
 Buck 16 " " " S 57 W. 26 " "
 Same with Sugar 1

North On the East Boundary of sec. 25 T. N. 9. N. R. 3 W.
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Coffenut 16 in air: bears S 6 47. 13 links dist; 1/2
 Buck. 11 " " " N 44 E. 2 " "
 62.00 To a Buck. 15 " " stands in the line.
 80.00 Set apart for the cor. of sec. 24 125 from which a
 Sugar 4 in air: bears S 20 E. 3 links dist; 1/2
 Buck 18 " " " N 31 W. 35 " "
 Same same as last note.

North On the East Boundary of sec. 24 T. N. 9. N. R. 3 W.
 9.50 To a Buck 14 in air: stands in the line.
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Hick 12 in air: bears S 12 W. 9 links dist; 1/2
 Do. 12 " " " N 38 E. 9 " "
 80.00 Set apart for the cor. of sec. 13 124 from which a
 Oak 36 in air: bears N 47 E. 22 links dist; 1/2
 Oak 36 " " " S 47 W. 30 " "

North On the East Boundary of sec. 13 T. N. 9. N. R. N. 3 W.
 19.50 To a Sugar 15 in air: stands in the line
 34.00 To a Brook 30 links wide, Corner S. W.

V. N. 9 N.R. N. 3 W. 2nd Mer. (Ind.)

40.00 Set a post for the cor. of 1/4 sec. from which is
 Beech 15 in diam. bears S 59 E. 13 knots dist; 19
 W. Oak 30 " " " S 46 W. 45 " "
 64.50 For Beech 25 in diam. stands in the line
 80.00 Set a post for the cor. of sec. 12 & 13 from which is
 Hickory 11 in diam. bears S 41 E. 18 knots dist; 19
 W. Oak 20 " " " S 49 W. 31 " "
 Sand and Timber Oak 1 c

North On the East Boundary of sec. 12 T. N. 9 N.R. 3 W.
 10.00 For Poplar 30 in diam. stands in the line
 34.50 " " Birch 10 knots diam. Course S. W.
 40.00 Set a post for the cor. of 1/4 sec. from which is
 Sugar 5 in diam. bears S 40 W. 16 knots dist; 10
 Ash 18 " " " S 81 E. 14 " "
 80.00 Set a post for the cor. of sec. 1 & 12 from which is
 Beech 14 in diam. bears N 63 W. 21 knots dist; 19
 Do. 13 " " " S 65 E. 36. " "
 Sand and; Timber Beech, Poplar 10

North On the East Boundary of sec. 1 T. N. 9 N.R. 3 W.
 20.00 For Poplar 30 in diam. stands in the line
 40.00 Set a post for the cor. of 1/4 sec. from which are
 W. Oak 36 in diam. bears S 41 E. 3 knots dist. and
 Ash — " " " — " "
 57.50 For W. Oak 50 in diam. stands in the line
 80.00 Set a post temp. for the cor. of Sec. 9, 9 & 10. N.R. 3 W.
 13 W.
 Sand and and best good; Timber Ash, Hickory 1 c

North Boundary
 East On a Random line between T. N. 9 N.R. N. 3 W.
 6 miles & 1.39 knots. Full 2 cks N. of Iron cor

421

T. N. 9. R. N. 3. W. 9th and Mer. Ind.

West 40.00	On the South Boundary of sec. 36 T. N. 10 R. 37 Set a post for the cor. of 74 ac. from which a Poplar 40 in diam. bears N 76 E 48 units dist; 10 Beech 30 " " " S 76 N. 28 " "
80.00	Set a post for the cor. of sec. 35 136 from which a Beech 20 in diam. bears N 81 E. 28 units dist; 10 Sugar 10 " " " S 32 W 11 " " Sound good soil, Lumber Poplar, Beech 10
West 0.50	On the South Boundary of sec. 35 T. N. 10 R. 37 Leak Brook 10 units wide, Course N.W.
40.00	Set a post for the cor. of 74 ac. from which a Beech 12 in diam. bears N 70 W. 8 units dist; 10 Do. 5 " " " " S 32 E. 18 " "
80.00	Set a post for the cor. of sec. 34 135 from which a W. Oak 16 in diam. bears S 52 E. 50 units dist; 10 Beech 15 " " " " N 19 W. 22 " " Sound soil and timber same as last mile.
West 40.00	On the South Boundary of sec. 34 T. N. 10 R. 37 Set a post for the cor. of 74 ac. from which a Sugar 14 in diam. bears N 11 W. 21 units dist; 10 Do. 14 " " " " S 38 E. 22 " "
80.00	Set a post for the cor. of sec. 33 134 from which a Beech 6 in diam. bears N 12 E. 10 units dist; 10 Do. 13 " " " " S 35 W. 31 " " Sound soil and timber same as last mile.
West 40.00	On the South Boundary of sec. 33 T. N. 10 R. 37 Set a post for the cor. of 74 ac. from which a W. Oak 5 in diam. bears N 73 E. 4 units dist; 10 Hickory 3 " " " " S 73 W. 8 " "
68.50	Leak Brook 30 units wide, Course N.W.

V. J. No. 9. N. R. No. 37. 2nd Mer. Sec.

80.00	Set a post for the cor. of Sec. 32. 133 from which Sugar 13 ¹ / ₂ mi air bears N 58 E. 4 ¹ / ₂ miles dist; 19 Do 18 ¹ / ₂ " " " S 35 ¹ / ₂ W. 30 ¹ / ₂ " " Poor hill; Oak & Buck Sands.
West 4.50 40.00	On the South Boundary of Sec. 30 T. N. 10 N. R. 37 To a Rock. 39 ¹ / ₂ miles in ^{course of E. T.} Set a post for the cor. of 14 ¹ / ₂ Sec. from which Sugar 14 mi air bears S 47 ¹ / ₂ W. 6 ¹ / ₂ miles dist; 13 Buck 12 ¹ / ₂ " " " N 30 E. 12 ¹ / ₂ " "
80.00	Set a post for the cor. of Sec. 31. 130 from which Ash. 40 mi air bears N 44 E. 14 miles dist; 19 Buck 13 ¹ / ₂ " " " S 52 ¹ / ₂ W. 12 ¹ / ₂ " " Hill; Buck Sand
West 40.00	On the South Boundary of Sec. 31 T. N. 10 N. R. 37 Set a post for the cor. of 14 ¹ / ₂ Sec. from which Sugar 15 mi air bears N 37 E. 15 miles dist; 13 Buck 6 ¹ / ₂ " " " S 60 ¹ / ₂ W. 18 ¹ / ₂ " "
81.39	Sell 100 acres S. of Imp. township cor. 1 st sec Post for the cor. of 4 th 9. 9. & 10. 10 N. R. S. 3 & 4 W. from which Hackberry 15 mi air bears N 47 ¹ / ₂ W. 12 ¹ / ₂ miles dist Do. 13 ¹ / ₂ " " " " S 33 E. 5 ¹ / ₂ " " Sande hill; Timber Buck, Sugar &c

West Boundary

April 13th 1811

B1.

North	On the East Boundary of Sec. 36 T. N. 9. N. R. 4 W. from the cor. of 1 st 8 & 9. N. R. S. 3 & 4 W.
111.50	To a Rock. 15 miles in ^{course}
40.00	Set a post for the cor. of 7 th Sec. from which Buck 18 mi air bears S 10 ¹ / ₂ W. 22 ¹ / ₂ miles dist; 13 Do. 16 ¹ / ₂ " " " " N 54 ¹ / ₂ W. 11 ¹ / ₂ " "

T. N. 9. R. 37. 2nd Mer. Ind.

59.00 Toa Brook. 8 units wide, Course S.E.
 69.00 Toa Brook 14 in dia. Stands in the line
 80.00 Set apart for the cor. of sec. 25/36 from which a
 Tree 16 in dia. bears N20 E. 41 units west; 19
 Hick. 12 1/2 " " S36 W. 14 " "
 Holly Tree stands in the 1st yr; On the 2nd
 yr stands of middling quality; similar as above

North On the East Boundary of sec. 25 T. N. 9. R. 4 W
 14.00 Toa Poplar. 30 in dia. Stands in the line
 40.00 Set apart for the cor. of 74 sec. from which a
 W Oak. 20 in dia. bears S80 W. 20 units west; 15
 Sugar. 13 " " " N68 E. 14 " "
 67.50 Toa Crab. 50 units wide, Course S.W.
 80.00 Set apart for the cor. of sec. 24/25 from which a
 Tree 11 in dia. bears S44 E. 21 units west; 1 a
 Oak 15 " " " N44 W. 22 " "
 Good 1st yr with hard Beech. land; 2nd yr
 Good Beech land.

North On the East Boundary of sec. 24 T. N. 9. R. 4 W
 2.00 Toa Brook 8 units wide, Course S.E.
 37.50 Toa W Oak 30 in dia. Stands in the line
 40.00 Set apart for the cor. of 74 sec. from which a
 Tree 9 in dia. bears S14 E. 3 units west; 19
 Oak 6 " " " N62 W. 12 " "
 80.00 Set apart for the cor. of sec. 13/24 from which a
 Hick. 10 in dia. bears S14 W. 22 units west; 19
 Oak 10 " " " N36 E. 13 " "
 Good land; similar Beech Sugar & Poplar.

North On the East Boundary of sec. 13 T. N. 9. R. 4 W
 40.00 Set apart for the cor. of 74 sec. from which a

T. N. 9. N.R. N. 37. 2nd Mer. Sec.

	<p>Beck 5 in deer beams S59 N. 26 links dist; 19 Co 18 " " " N57 E. 53 " "</p>
76.00	To a Poplar 48 in deer stand as in the line
80.00	Set a post for the cor. of sec. 12 & 13 from which Co 13 in deer beams S20 E. 18 links dist; 19 Co. 5 " " " N43 E. 25 " "
North	On the East Boundary of sec. 12 T. N. 9. N.R. 37
9.50	To a Beech 8 links in, Course N.E.
31.50	" " " 12 " " " " " "
40.00	Set a post for the cor. of sec. 12 from which Beck 5 in deer beams N63 N. 20 links dist; 19 Co. 6 " " " East. 26 " "
66.00	To a Beech 12 in deer stand as in the line.
80.00	Set a post for the cor. of sec. 1 & 12 from which Beck 6 in deer beams S30 N. 19 links dist; 19 N. Oak 30 " " " N45 E 31 " " Soils rich; Timber Beech, Sugar, Poplar, &c.
North	On the East Boundary of sec. 1. T. N. 9. N.R. 47.
40.00	Set a post for the cor. of sec. 1 from which Co 13 in deer beams S3 E. 43 links dist; 19 Hick 20 " " " N3 E. 30 " "
80.00	Set a temporary post for the cor. of T. 9. 9. & 10. N. R. N. 314 N. Soils rich bottom; &c.

Surveyed by
 James Holmes L.S.

Subdivisions

Sept. 7 1815.

North Between Sec. 35 & 36. T. N. 9. N.R. N. 37.

T. N. 9. NR. N. 37. Q. and Mrs. Ind.

40.00 Set a post for the cor. of 1/4 sec. from which a
 Sassafras 24 in. diam. bears N 3 E. 13 links north; 1/2
 Do. 9 " " " N 30 W. 17 " "

75.00 To a Brook 25 links wide, Course West.

80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which a
 Beech 29 in. diam. bears S 69 W. 27 links north; 1/2
 Do. 8 " " " S 42 E 37 " "

Land is hilly and middling for farming; Timber
 Beech Oak, & Ash.

East On a Random line between Sec. 25 & 36 T. N. 9. NR. 37

24.00 To a Brook 21 links wide, Course S W.

40.00 Set a temporary post for the cor. of 1/4 sec.

78.78 Intersect the N. 37 line 67 links South of the first cor.
 of sec. 25 & 36.
 Land is poor & timber some at last end.

West On the true line between Sec. 25 & 36. T. N. 9. NR. 37

38.39 Set the temporary post at the avor. end, on the true
 line for the cor. of 1/4 sec. from which a
 Beech 36 in. diam. bears S 58 W. 17 links north; 1/2
 Sugar 3 " " " N 19 W. 14 " "

78.78 To the post on of sec. 25, 26, 35 & 36

North Return Sec. 25, 26 T. N. 9. NR. 37

40.00 Set a post for the cor. of 1/4 sec. from which a
 Beech 10 in. diam. bears N 35 W. 13 links north; 1/2
 Do. 15 " " " S 64 E. 50 " "

80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
 a Sugar 7 in. diam. bears S 53 W. 8 links north; 1/2
 Do. 19 " " " S 59 E. 21 " "

Land is hilly & tolerably rich; Timber Beech
 Sugar. Ash, &c.

T. N. 9. N. R. N. 37. 2nd Mer. Sec.

East	<p>On a Random line between Sec. 24 & 25 T. N. 9. N. R. 37.</p> <p>40.00 Set a temp. post for the cor. of 1/4 sec.</p> <p>78.28 Enter cut. the N & S Range line 43 miles North of the post cor. of sec. 24 & 25</p> <p>Same soil and timber same as last mile.</p>
West	<p>On the true line between Sec. 24 & 25 T. N. 9. N. R. 37.</p> <p>39.14 Set the temp. post at the av. dist. on the true line for the cor. of 1/4 sec. From which</p> <p>Beech 48 in dia: bears N 88 W. 26 links dist; 10</p> <p>Poplar 5 " " " S 28 E. 23 " "</p> <p>78.28 To the post cor. of sec. 23, 24, 25 & 26.</p>
West	<p>On a Random line between Sec. 23 & 24 T. N. 9. N. R. 37.</p> <p>40.00 Set the temp. post 1/4 sec. post.</p> <p>80.18 Enter cut. the N & S line 69 miles North of the post cor. of sec. 22, 23, 24, & 27</p> <p>Same hilly; Timber Oak, Beech; Sugar & Ash, about well adapted for farming.</p>
Sept. 8. 1815.	
North	<p>Return Sec. 34 & 35 T. N. 9. N. R. 37.</p> <p>40.00 Set a post for the cor. of 1/4 sec. From which</p> <p>Sugar. 6 in dia: bears S 37 W. 26 links dist; 10</p> <p>Ironwood 5 " " " N 3 E. 16 " "</p> <p>67.00 To a Beech. 45 links wide, Course W.</p> <p>80.00 Set a post for the cor. of sec. 26, 27, 34, & 35 From which</p> <p>Beech. 14 in dia: bears N 65 E. 12 links dist; 10</p> <p>Do. 18 " " " N 57 W 10 " "</p> <p>Same middling for farming; Timber Oak, Ash, Elm, Sugar, Poplar, Beech, 10</p>
East	On a Random line between Sec. 26 & 35 T. N. 9. N. R. 37.

30.50 To a Bush 3 1/2 miles, Coonau South.
 40.00 Set a temporary post for the cor. of 1/4 Sec.
 79.75 Intersect the N.S. line 49 miles South of the post
 cor. of Sec. 25, 26. 35.036

West On the true line between Sec. 26 & 35 T. No. 9. N.R. 377
 39.87 Set the temporary post at the corner. dist. on the true line for the
 cor. of 1/4 Sec. from which a
 Sague 4 in diam. bears S50 E. 5 miles dist; 10
 Ho. 5 " " " N55 W. 31 " "
 79.75 To the post cor. of Sec. 26. 27. 34 & 35

Sept. 9. 1815.

North Return Sec. 26 & 27 T. No. 9. N.R. No. 377.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sague. 7 in diam. bears S9 E. 21 miles dist; 10
 Ho. 5 " " " N8 E. 21 " "
 80.00 Set a post for the cor. of Sec. 22, 23, 26, 27 from which
 a Bush 5 in diam. bears S28 W. 7 miles dist; 10
 Sague. 6 " " " N49 W. 11 " "
 Lands & timber same as above

East On a true line between Sec. 23 & 26 T. No. 9. N.R. 377.
 40.09 Set the temporary post at the corner. dist. on the true line
 for the cor. of 1/4 Sec. from which a
 Sague 3 in diam. bears N21 E. 4 miles dist; 10
 Bush 5 " " " S36 E. 23 " "
 80.18 To the post on the line between Sec. 23, 24, 25, & 26

North Return Sec. 23 & 24 T. No. 9. N.R. No. 377.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Bush. 36 in diam. bears N40 W. 4 miles dist; 10
 Sague 2 1/2 " " " N24 W. 10 " "

I. N. 9. N.R. N. 37. 2nd Mer. Ind. 5

80.00	Set a post for the cor. of sec. 13, 14, 23 & 24 from which a Beck. 14 in dir. bears South 12 miles N.W.; & a Buck 17 " " " N 19 7/8. 5 " " Sands rolling; timber ash, Walnut Sugar & Buck. Oak. & good soil.
East	On a Panam line between Sec. 13 & 24 I. N. 9. N.R. 37.
24.00	To a small spring branch. Course N.
40.00	Set a temp. post for the cor. of 1/4 sec.
48.93	Intersect the N. S. line 20 miles South of the post cor. of sec. 13 & 24 Sands soil made timber same as last mile.
West	On the true line between Sec. 13 & 24 I. N. 9. N.R. 37.
39.46 1/2	Set the temp. post on the true line for the cor. which
57. 1/2	in the true line for the cor. of 1/4 sec. from which Beck. 12 in dir. bears S 65 E. 10 miles N.W.; & a Do. 10 " " " N 54 7/8. 11 " "
78.93	To the post cor. of sec. 13, 14, 23 & 24
North	Between Sec. 13 & 14 I. N. 9. N.R. N. 37.
15.50	To a small brook - the side Course N.
29.50	To a brook .55 the side, Course S. 7/8.
40.00	Set a post for the cor. of 1/4 sec. from which Beck. 24 in dir. bears S 44 7/8. 10 miles N.W.; & a Sugar 8 " " " N 48 7/8. 16 " "
80.00	Set a post for the cor. of sec. 11, 12, 13 & 14 from which Buck 40 in dir. bears S 40 7/8. 13 the N.W.; & a Beck 10 " " " N 37 7/8. 16 " " Sands soil made timber same as last mile.
	Sept. 10. 1815.
West	On a Panam line between Sec. 27 & 34 I. N. 9. N.R. 37.

T. N. 9. R. N. 3 W. 2nd Mer. Ind. 1)

35.00 To a small creek. Corner S.E.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 80.00 Intersect the N & S line 100 miles N. of the post cor.
 of sec. 27, 28, 33 & 34.
 Land hilly and good for farming; Timber Beech
 Oak, Ash & Poplar.

East On a town line between Sec. 27 & 34 T. N. 9. R. 3 W.
 40.00 Set the temporary post at the corner ditch on the town line
 for the cor. of 1/4 sec. from which a
 Beech 17 mi. air. bears S 70. N. 12 miles ditch; 10
 Sugar. 3 " " " N 82 E. 19 " "

West On a town line between Sec. 22 & 27 T. N. 9. R. 3 W.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 52.50 To a creek. 100 miles wide, Corner S.
 80.70 Intersected the N & S line 100 miles South of the post
 cor. of sec. 21, 22, 27 & 28
 Land flat and timber same as last mile.

East On a town line between Sec. 22 & 27 T. N. 9. R. 3 W.
 40.35 Set the temporary post at the corner ditch on the town line
 for the cor. of 1/4 sec. from which a
 Beech 12 mi. air. bears S 29 E. 33 miles ditch; 10
 Do 13 " " " N 65 W. 12 " "
 80.70 To the post cor. of sec. 22, 23, 26 & 27

North Return Sec. 22 & 23 T. N. 9. R. 3 W.
 40.00 Set a post for the cor. of 1/4 sec. from which on
 towards 3 mi. air. bears. N 68 W. 12 miles ditch; 10
 52.50 Do 3 " " " S 78 E. 5 " "
 55.50 To a Brook. - the only Corner S.W.
 80.00 Set a post for the cor. of sec. 14, 15, 22 & 23 from which 350

T. N. 9 N. R. N. 37. 2nd to Mer. Ind.

	<p>along 5 mi. dist. bears S 30 W. 17 the dist; to E. 16 " " " N 30 W. 16 " " Sand middling; Timber Sugar Elm Buck, Oak Sugar, etc</p>
West	On a Ran. am line between Sec. 15 & 22, T. N. 9 N. R. 37
40.00	Get a temporary post for the cor. of 1/4 Sec.
81.00	Intersect the N. & S. line 57 links North of the post, Cor. of sec. 15, 14, 21, & 22. Sand middling for farming; Timber Post, Oak Buck & Ash.
East	On a new line between Sec. 15 & 22 T. N. 9. N. R. 37
40.25	Get the temporary post at the av. dist on the true line for the cor. of 1/4 Sec. from which Buck. 15 mi. dist. bears - 47 E. 26. the dist; to Oak 17 " " " N 24 W. 28 " "
81.00	To the post cor. of sec. 14, 15, 22, & 23.
	Sept. 11. 1815
East	On a Ran. am line between Sec. 14 & 23, T. N. 9. N. R. 37
0.50	To a Brook. 20 the miles Corner S. W.
18.00	" " " " " " " "
40.00	Get the temporary post at the cor. of 1/4 Sec.
80.85	Intersect the N & S line 107 links South of the post, cor. of sec. 13, 14, 23, & 24 Sand soil and timber some a last mile.
West	On the true line between Sec. 14 & 23, T. N. 9. N. R. 37
40.42 1/2	Get the temporary post at the av. dist on the true line for the cor. of 1/4 Sec. from which Buck. 18 mi. dist. bears S. 25 W. 26 links dist; to Cygn 4 " " " S. 6 E. 25 " "

T. N.º 9. N.º 377. 2.º (M.º. S.º.º)

80.85	To the post cor. of Sec. 14, 15, 22, & 23.
Sept. 11, 1815.	
North 1.00	Between Sec. 14 & 15 T. N.º 9. N.º 377. To a Brook, 20th mile, Course S. N.
40.00	Set a post for the cor. of ¼ sec. from which a Beck. 8 mi. dir. bears S 37 N. 75 links west; & a L.º. 11 " " " S 78 E. 26 " "
80.00	Set a post for the cor. of Sec. 10, 11, 14 & 15 from which a L.º. 15 mi. dir. bears N 44 E. 7 links west; & a L.º. 13 " " " N 36 W. 18 " " Land is hilly and good for farming; Timber Sugar. Oak, Beech, Cherry, Hickory & Walnut.
East 40.00	On a Random line between Sec. 11 & 14 T. N.º 9. N.º 377. Set a post for the cor. of ¼ sec. (Town 167)
80.50	Intersect the N.º 377 line 6.2 miles South of the post cor. of Sec. 11, 12, 13, & 14 Land is hilly & rich. Timber Oak, Ash, Poplar & Cherry
West 40.25	On the true line between Sec. 11 & 14 T. N.º 9. N.º 377. Set the township post at the av. dir. on the true line for the cor. of ¼ sec. from which a Hickory 7 mi. dir. bears N 79 E. 10 links west; & a Beck 8 " " " S 72 W. 20 " "
80.50	To the post cor. of Sec. 10, 11, 14 & 15
East 18.50	On a Random line between Sec. 12 & 13 T. N.º 9. N.º 377. To a small Creek. Course S. N.
40.00	Set a township post for the cor. of ¼ sec.
78.55	Intersect the N.º 377 line 5 miles South of the post cor. of Sec. 12 & 13. Land is soil and timber same as last mile

D. N^o 9. N.R. N^o 37. 2nd Mer. Sec.

West On the true line between Sec. 12 & 13. T. N^o 9. N.R. N^o 37.
 39.27 1/2 Set the temp^y post at the corner dish on the true line for
 the cor. of 1/4 Sec. From which a
 Sugar 5 in. dia. bears S 37 E 22 links dish; 80
 Beech 18 " " " West 15 " "
 78.55 To the post cor. of sec. 11. 12. 13 & 14.

Sept. 12. 1815.

North Between Sec. 15 & 16. T. N^o 9. N.R. N^o 37.
 40.00 Set a post for the cor. of 1/4 Sec. From which a
 Beech 8 in. dia. bears S 37 N. 20 links dish; 100
 W. Beech. 5 " " " N 33 E. 21. " "
 80.00 Set a Largo Poplar, 48 in. dia. which stands for the
 cor. of sec. 9. 10. 15 & 16.
 Sand soil & timber same as last mile.

West On a Random line between Sec. 10 & 15. T. N^o 9. N.R. N^o 37.
 40.00 Set a temp^y post for the cor. of 1/4 Sec.
 81.57 Into set the N & S line 2. 15 ch South of the post
 cor. of sec. 9. 10. 15 & 16.
 Sand soil and timber same as last mile.

East On a true line between Sec. 10. & 15. T. N^o 9. N.R. N^o 37.
 40.28 1/2 Set the temp^y post at the corner dish on the true line
 for the cor. of 1/4 Sec. From which a
 Beech 10 in. dia. bears S 18 N. 21 links dish; 100
 Ho. 12 " " " N 52 E. 8 1/2 " "
 81.57 To the post cor. of sec. 10. 11. 14. & 15

North Between Sec. 9. & 10. T. N^o 9. N.R. N^o 37.
 40.00 Set a post for the cor. of 1/4 Sec. From which a
 Sugar. 6 in. dia. bears N 16 N. 24 links dish; 100
 Beech. 15 " " " N 54 E. 24. " "

T. No. 9 N. R. No. 3 (T. 2nd Mer. (Ind.))

80.00	Set a post for the cor. of sec. 3, 4, 9 & 10 from which an Ironworks 5 mi. dist. bears S45 E 10 N 1/2 mi. dist; on Sugar. 4 " " " N 10 W. 13 1/2 " " Sande. hilly track. Timber Hickory, Poplar, Oak Ash & Beech.
Cash	Between Sec. 3 & 10 T. No. 9 N. R. No. 3 T.
15.50	To a Brook. 25 huts made, Corner N.
35.00	To a small Spring branch.
1,000	Set a post for the cor. of 1/4 sec. from which a
48.50	Buck 4 mi. dist. bears N47 W. 20 huts each; to W. Oak. Co. " " N 27 E. 28 " "
80.00	To a small Spring branch. Corner S. T.
80.00	Set a post for the cor. of sec. 2, 3, 10 & 11. from which a
80.00	Sugar 16 mi. dist. bears - 32 E. 18 huts each; to a
80.00	Buck 10 " " " S 45 W. 27 " "
80.00	Some good for farming; Timber Oak, Ash, Sugar, Beech, Walnut & Poplar
South	On a Random line between Sec. 10 & 11. T. No. 9 N. R. No. 3 T.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.03	Intersect the Cor. N. 1. 17 huts West of the post cor. of
80.03	Sec. 10, 11, 14 & 15. Sande soil on the timber Same as the last mile.
North	On the true line between Sec. 10 & 11 T. No. 9 N. R. No. 3 T.
40.01 1/2	Set the temporary post at the av. dist on the true line
80.03	for the cor. of 1/4 sec. from which an
80.03	Oak 36 mi. dist. bears S 25 E. 4 huts each; to a
80.03	Sugar 20 " " " N 20 E 26 " "
80.03	To the post cor. of sec. 2, 3, 10 & 11.
North	Between Sec. 3 & 4 T. No. 9 N. R. No. 3 T.

T. N. 9. R. N. 37. 2nd Mer. Ind.

9.50	To a Brook - banks side, Corner N. N.
25.00	" " Spring Brook " " " " " "
37.00	To a Brook 20 Mts side, Corner N.
40.00	Set a post for the cor. of 74 Sec. from which Beck. 7 in. dist. bears S. 44 E. 16 Mts. dist; r w L. a. 6 " " " N 37 W. 21 " "
77.20	Enter set the N Boundary 32 miles East of post cor. of sec. 33 & 34 T. N. 10. R. N. 37. Made the cor. of sec. 314 on an Ironwood 5 in diam. Sept. 13. 1815
East	Return Sep. 20-11 T. N. 9. R. N. 37.
40.00	Set a post for the cor. of 74 Sec. from which Beck. 11 in. dist. bears S 55 W. 18 Mts. dist; r w Maple 30 " " " N 84 E. 13 " "
80.00	Set a post for the cor. of sec. 1. 2. 11. & 12 from which Beck. 24 in. dist. bears S. 22 W. 16 Mts. dist; r w L. a. 20 " " " N 28 E. 33 " " Land is good for farming; Timber Oak & Beech
South	Cross Random Line between Sep. 11. & 12 T. N. 9. R. N. 37.
40.00	Set a temporary post for the cor. of 74 Sec.
79.70	Enter set the E & W line 109. bank West of the post cor. of sec. 11. 12. 13 & 14 Land is good timber same as last mile.
North	On the same line between Sep. 11. & 12 T. N. 9. R. N. 37.
39.85	Set the temporary post on the same line at the acc. dist. for the cor. of 74 Sec. from which Beck. 10 in. dist. bears N 8 W. 21 Mts. dist; r w Sugar 16 " " " S 3 E. 21 " "
79.70	Set the post cor. of sec. 1. 2. 11. & 12

435

T. N^o 9 N. R. N^o 377. 2nd Mer. Ind.

East On a Random line between Sec. 1 & 12 T. N^o 9. N. R. N^o 377.
 40.00 Set a temporary post at the cor. of 1/4 Sec.
 55.00 To a Brook. Corner S. W.
 80.00 Enter cut the N. S. line 20 rods S. of the post cor.
 of Sec. 1 & 12
 Land soil and timber same as last mile.

West On the true line between Sec. 1 & 12 T. N^o 9. N. R. N^o 377
 40.00 Set the temporary post at the corner. West on the true line
 for the cor. of 1/4 Sec. from which
 Sugar 15 mi. dir. bears S 40 N. 28 rods west; & a
 Co. 17 " " " N 16 E. 20 " "
 80.00 To the post cor. of sec. 1, 2, 11 & 12.

North Return Sec. 1 & 12 T. N^o 9. N. R. N^o 377
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Bush 10 mi dir. bears S 117 N. 23 rods west; & a
 Sugar 4 " " " N 17 1/2 W. 14 " "
 77.80 Enter cut the E. 77 Range line 27 rods West of
 the post cor. of sec. 35 & 36 T. N^o 10. N. R. N^o 377 & set
 a post for the cor. of sec. 1 & 2 from which a
 Bush 15 mi. dir. bears N 48 W. the west; & a
 Co. 10 " " " West 42 " "
 Land middling for farming, Timber Oak Ash & Birch

North Return Sec. 213. T. N^o 9. N. R. N^o 377
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 16 mi dir. bears S 51 E 23 rods west; & a
 Sassafras 17 " " " S 76 W. 29 " "
 77.70 Enter cut the N. Boundary 5 rods West of the post
 cor. of sec. 34 & 35 T. N^o 10. N. R. N^o 377. & set a
 post for the cor. of Sec. 213 from which a
 Hickory 10 mi dir. bears S 85 E. 58 the west

D. No. 9. N.R. No. 3. W. 2nd. Mer. Sec.

	Apr. 8, 1845. N. 7° 15'
North	Between Sec. 33 & 34 T. No. 9. N.R. No. 37.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck. 20 mi. dist. bears S 70 E. 36 links north; & to L. o. 12 " " " N 38 77. 19 " "
80.00	Set a post for the cor. of sec. 27, 28, 33 & 34 from which a N. Oak 18 mi. dist. bears S. 57. 11 links north; & to Beck. 12 " " " N 12 77. 21 " " Soil healthy and good for farming. Timber Beech Oak, Poplar, Sugar.
West	Between Sec. 28 & 33 T. No. 9. N.R. No. 37. var. 5° 25'
40.00	Set a post for the cor. of 1/4 sec. from which a Beck. 8 mi. dist. bears S 70 77. 14 links north; & to Sugar. 12 " " " N 12 77. 20 " "
80.00	Set a post for the cor. of sec. 28, 29, 32 & 33. From which a Dogwood 6 mi. dist. bears N 11 77. 14 links north; & to N. Oak. 24 " " " S 14 E. 25 " " Soil very good; & middling good for farming Timber same as last mile.
South	On a Random line between Sec. 32 & 33 T. No. 9. N.R. No. 37.
40.00	Set a temporary post for the cor. of 1/4 sec.
50.00	Set a Beck. 4 links north, Corner N.W.
65.00	" " L. o. 6 " " " " N.W.
80.03	Set a post on the E & W. line. 49 links West of the post cor. of sec. 32 & 33. Soil nothing and good for farming; Timber same as last mile.
North	On the true line between Sec. 32 & 33 T. No. 9. N.R. No. 37.
40.01	Set the temporary post at the cor. dist. on the true line for the cor. of 1/4 sec. from which a

437

T. N. 9. N. R. N. 37. 2nd Mer. (Jud.)

80.03 Book 15 mi. dist. bears S 75 N. 28. huts west; 1st
 Log. 5 " " " N 30 E 18 " "
 To the post cr. of sec. 28, 29, 32, & 33.

West
 40.50 Between Sec. 29, 132 T. N. 9. N. R. N. 37.
 Set a post for the cor. of 1/4 Sec. from which
 Log. woods 5 mi. dist. bears N 43 E. 7 huts west; 1st
 Log. 10. " " " S 22 E. 14 " "
 71.50 To a Brook. 10 huts. side, Course S. W.
 80.00 Set a post for the cor. of sec. 29, 30, 31, & 32 from which
 Book. 10 mi. dist. bears N 56 N. 5 huts west; 1st
 1st 6 " " " S 56 E. 13 " "
 E 1/2 mile same as last mile; West p. hills & prorr.

South
 40.00 On a Random line between Sec. 31, & 32 T. N. 9. N. R. N. 37.
 Set a post (town p. 1) for the cor. of 1/4 Sec.
 81.00 Intersect the E. 1/2 N. line 47 huts West of the post cr.
 of sec. 31 & 32.
 Same hills, and prorr. Timber same.

North
 40.50 On the true line between Sec. 31, & 32, T. N. 9. N. R. N. 37.
 Set the town p. 1 post at the cor. dist. on the true line
 for the cor. of 1/4 Sec. from which
 Log. woods 6 mi. dist. bears S 87 N. 21. huts west; 1st
 W. Oak. 12 " " " N 85 E. 15 " "
 81.00 To the post cr. of sec. 29, 30, 31, & 32

North
 40.00 Between Sec. 27, & 28 T. N. 9. N. R. N. 37.
 Set a post for the cor. of 1/4 Sec. from which
 Log. 10 mi. dist. bears N 74 E. 9 huts west; 1st
 W. Oak. 24 " " " S 37 N. 18 " "
 62.50 To a Brook 70 huts. side, Course N. W.
 70.00 " " 1st 70 " " " N. E.

I. N^o 9. N.R. N^o 377. 2nd Mer. Ind^o.

19.00	To a Brook 7 1/2 miles wide, Corner N.R.
80.00	Set a post for the cor. of sec. 21. 22. 27. 28 from which Beck 19 mi. dist. bears N 82 W. 11 miles west; & 0 So. 18 " " " South 8 " " Lands hilly and good for farming; Timber Oak & Beech. Sugar & Poplar.
North	Return Sec. 21. 22 I. N ^o 9. N.R. N ^o 377.
18.00	To a Brook 6 miles wide, Corner I.R.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck 13 mi. dist. bears S 5 E. 5 miles west; & 0 So. 24 " " " N 61 W. 12 " "
80.00	Set a post for the cor. of sec. 15. 16. 21. 22 from which Beck. 6 mi. dist. bears N. 5 E. 28 miles west; & 0 So. 9 " " " S 29 W. 4 " " Lands level & timber same as last mile.
North	Return Sec. 21. 28. I. N ^o 9. N.R. N ^o 377.
4.00	To a Brook. 70 miles wide, Corner N.R.
40.00	Set a post for the cor. to 1/4 sec. from which a Beck. 9 mi. dist. bears N 83 E. 20 the west; & 0 So. 17 " " " S 88 W. 33 " "
80.00	Set a post for the cor. of sec. 20. 21. 28. 29 from which Beck 24 mi. dist. bears S 29 E. 12 miles west; & 0 So. 18 " " " N 2 E. 30 " " Lands hilly and good for farming; Timber same as last mile.
South	On a Random line between Sec. 28. 29 I. N ^o 9. N.R. 377.
40.00	Set a temporary post for the cor. of 1/4 sec.
79.88	Intersect the E & W. line at the post or of sec. 28. 29. 30 & 33. Lands level & timber same as last mile.

T. No. 9 N.R. No. 377. 2nd Mm. Ind.

North 39.94	On a true line between Sep. 28. 129 T. No. 9. N.R. No. 377 Set the temporary post at the corner dish on the true line for the cor. of '14 th Sec. from which a N. Oak. 30 in dia. bears N 80 W. 3 links dish; & a R. Oak. 24 " " " N 33 E 31 " "
49.88	To the post cor. of sec. 20. 21. 28 & 29
North 40.00	Between Sep. 20. & 21 T. No. 9. N.R. No. 377 Set a post for the cor. of '14 th Sec. from which a Keweenaw 5 in dia. bears S 34 W. 10 links dish; & a Do. 15 " " " N 74 W. 19 " "
41.00	To a break 70 links on the, Corner N.
55.00	" " Sp. 5 Branch " S 77
80.00	Set a post for the cor. of sec. 16, 17. 20. & 21 from which a Beck 18 in. dia. bears S. 87 W. 31 links dish; & a Do. 7 " " " S 76 E. 35 " " Sande Porten & Hilby; Limit same as last mile.
East 40.00	On a true line between Sep. 16 & 21. T. No. 9. N.R. No. 377. Set a temporary post for the cor. of '14 th Sec.
55.00	To a Break. 8 links on the, Corner S.E.
80.19	Intersect the N & S line 25 links South of the post cor. of sec. 15. 16. 21. & 22 Sande Hilby; West 1/2 mile broken. Limit same as last mile.
West 40.09	On the true line between Sep. 16. & 21. T. No. 9. N.R. No. 377 Set the temporary post at the corner dish on the true line for the cor. of '14 th Sec. from which a Beck. 10 in dia. bears N 67 W. 17 links dish; & a Do. 72 " " " N 60 E. 2 " "
80.19	To the post cor. of sec. 16. 17. 20. & 21 Sept. 10. 18. 15.

A. N^o 9. N.R. N^o 3 7th 2nd Mer. S. A.

West	Between Sec. 17 & 20 T. N ^o 9. N.R. N ^o 3 7 th .
4.00	To a Brook. 10 miles wide, Corner S. 7 th .
4.00	Set a post for the cor. of 1/4 sec. from which Beck. 8 in. dist. bears S 87 th 44' west and by Co. 15 " " " N 56 th 77.51 " "
80.00	Set a post for the cor. of sec. 17, 18, 19 & 20 from which Beck. 12 in. dist. bears S 68 th 77.16 north west by Poplar. 24 " " " N 43 rd E. 46 " " Sands 3 rd rate; Timber: Broken & hilly. Timber Same as last mile.
South	Between Sec. 19 & 20. T. N ^o 9. N.R. N ^o 3 7 th .
40.00	Set a post for the cor. of 1/4 sec. from which Syc. 12 in. dist. bears N 57 th 77.4 north west by Co. 6 " " " S 40 th E. 22 " "
60.00	To a Brook. 70 miles wide, Corner 7 th .
80.00	Set a post for the cor. of sec. 19, 20, 29 & 30 from which Syc. 6 in. dist. bears S 16 th E. 8 north west by Log mode 5 " " " N 60 th 77.4 " " Sands timber &c. Same as last mile.
West	Between Sec. 19 & 30 T. N ^o 9. N.R. N ^o 3 7 th .
4.00	Set a post for the cor. of 1/4 sec. from which Beck. 8 in. dist. bears S 82 rd E. 32 north west by Cedar 9 " " " S 38 th E. 30 " "
40.50	To a Brook. 70 miles wide, Corner S. 7 th .
79.86	Set a post for the N. S. line 328 rods N of the post cor. of Sec. 24 & 25. T. N ^o 9. N.R. N ^o 4 7 th . and set a post for the cor. of sec. 19 & 30. from which Beck. 9 in. dist. bears S 59 th E. 3 north west by Co. 18 " " " S 67 th 77.16 " " East 1/2 mile Same as last mile, West 1/2 mile bottom.

T. N. 9. R. N. 3 77. 2nd Mer. Ind^s

East
 40.00 On a Random between Sec 20 129 T. N. 9. R. N. 37.
 Set a post (temp^y) for the cor. of 74 cu.
 79.76 Intersect the N 8 W line 28 links North of the post cor.
 of sec. 20. 21. 28. & 29.
 Sandstone & Muddy Tertiary Rock, Sugar, Gum
 Oak, Poplar &c

West
 39.88 On the true line between Sec 20. & 29. T. N. 9. R. N. 37.
 Set the temp^y post at the cor. dist on the true line for
 the cor. of 74 cu. from which
 Beet. 12 in. dist. bears S 31 E. 14 links dist. & c
 40. 12 " " " N 36 E. 29 " "
 79.76 To the post cor. of sec. 19. 20. 29 & 30.

South
 40.00 On a Random line between Sec 29 & 30 T. N. 9. R. N. 37.
 Set a temp^y post for the cor. of 74 cu.
 81.08 Intersect the E 77. line 33 links East of the post cor. of
 sec. 29. 30. 31. & 32.
 Sand post and timber same as last one.

North
 40.54 On the true line between Sec 29 & 30 T. N. 9. R. N. 37.
 Set the temp^y post at the cor. dist on the true
 line for the cor. of 74 cu. from which
 Logwood 3 in. dist. bears S 88 W. 19 links dist. & c
 4 Beet. 20 " " " N 78 E. 14 " "
 81.08 To the post cor. of sec. 19. 20. 29 & 30.

West
 40.00 Between Sec 30. & 31 T. N. 9. R. N. 37.
 Set a post for the cor. of 74 cu. from which
 Sugar. 6 in. dist. bears S 45 E. 19 links dist. & c
 W. Oak 12 " " " N 20 W. 29 " "
 79.56 Intersect the West Boundary. 219 links North of
 the post cor. of sec. 25 & 36 T. N. 9. R. N. 47

T. N. 9. N.R. N. 377. 2nd 10th Mon Ind. 3

Set a post for the cor. of sec. 30 & 31 from which a
 Beck. 8 in dia. beams S 36 E. 7 miles due; 7 1/2
 Sugar 8 " " " N 34 E 16 " "
 Land soil & timber same as last mile

West Bottom Jul 18 & 19 T. N. 9. N.R. N. 377. v. 5025
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Sugar 14 in dia. beams N 47 W. 18 1/2 miles due; 7 1/2
 Hick 12 " " " S 39 E. 28 " "
 80.00 Enter at the West Boundary 298 miles North
 of the post cor. of sec. 24 & 25 T. N. 9. N.R. N. 477
 and set a post for the cor. of sec. 18 & 19 from which a
 Hick 18 in dia. beams S 10 W. 23 miles due; 7 0
 B. Oak 9 " " " N 71 W. 19 " "
 Land hilly and making good for farming
 Soil & timber same as last mile.

Feb. 12. 1815. v. 5025

West Bottom Jul. 9. 1816 T. N. 9. N.R. N. 377
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Beck. 9 in dia. beams S 84 W. 34 miles due; 7 0
 Do. 6 " " " N 6 E. 14 " "
 60.00 To a Brook 8 miles wider Comes South.
 80.00 Set a post for the cor. of sec. 8, 9, 16, 17 from which a
 Beck. 14 in dia. beams N 6 W. 20 miles due; 7 0
 Do. 10 " " " S 2 E. 18 " "
 Land rolling & good for farming; Timber same
 as last. mile

South One Run one mile between Jul. 16 & 17 T. N. 9. N.R. 377
 40.00 Set a temporary post for the cor. of 1/4 sec.
 55.50 To a Spring Branch. Comes East
 80.56 Enter at the East W. line 66 miles East of the post cor.

T. No 9. N.W. No 377, 2nd Mer. Sec 5

of sec. 16. 17. 20. & 21

Land hilly and good for farming; Timber same

North On the true line between Sec. 16 & 17 T. No 9. N.W. No 377.

40.28 Set the temp. 4 post at the over. dist on the true line for the cor. of 1/4 sec. from which a

1/2 Bech. 9 in dist. bears N 86 W. 7' the mark; 1 a,

2^d 9 " " " S 26 E. 11 " "

80.56 To the post cor. of sec. 8. 9. 16 & 17

West Between Sec. 8 & 17 T. No 9. N.W. No 377. N. 5. 40

40.00 Set a post for the cor. of 1/4 sec. from which a

Sugar. 12 in dist. bears N 23 E 17' the mark; 1 a,

Bech. 6 " " " S 39 W. 12 " "

80.00 Set a post for the cor. of sec. 7. 8. 17 & 18 from which a

1/2 Bech. 12 in dist. bears S 81 E 30' the mark; 1 a,

2^d 6 " " " S 77 W. 11 " "

Land level & timber same as last mile.

South On a Mer. line between Sec. 17 & 18 T. No 9. N.W. No 377

40.00 Set a temp. 4 post for the cor. of 1/4 sec.

48.00 To a Bech. 6 the mile corner N.

78.84 Intersect the E. N. line 5 miles west of the post cor. of sec. 17. 18. 19 & 20

Land broken & hilly; Timber same

North On the true line between Sec. 17 & 18 T. No 9. N.W. No 377.

39.42 Set the temp. 4 post at the over. dist on the true line for the cor. of 1/4 sec. from which a

1/2 Walnut 24 in dist. bears S 64 E. — the mark; 2 a,

Sugar. 8 " " " S 60 W. 22 " "

78.84 To the post cor. of sec. 7. 8. 17 & 18.

D. No. 9. N.R. No. 37. 2nd Mer. Ind.

North	Between Sec. 7 & 8 T. No. 9. N.R. No. 37. N. 7° 15'
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Sugar 12 in. dist. bears S 54° N. 12 links west; & 5 N. Walnut 9 " " " N 24 E. 22 " "
70.00	To a Brook. 15 links wide, Corner N.
80.00	Set a post for the cor. of sec. 5, 6, 7 & 8. from which Beck. 15 in. dist. bears N 34 E 10 links west; & Hick 18 " " " S 31° N 32 " "
	Sand soil & timber same as last mile.
East	Between Sec. 5 & 8 T. No. 9. N.R. 37.
0.50	To a Spring Branch. 4 links wide, Corner S.
5.00	" " L.O. " 4 " " " "
10.00	" " Brook. 15 " " " S 77.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Beck. 14 in. dist. bears N 45° N. 42 links west; & L.O. 15 " " " S 54 E. 28 " "
80.00	Set a post for the cor. of sec. 4, 5, 8, 9. from which N. Gum 14 in. dist. bears S 73 E. 8 links west; & Beck. 9 " " " North 11 " "
	Sand soil and timber same as the last mile.
East	On a Random line between Sec. 4 & 9 T. No. 9. N.R. 47.
40.50	Set a temp. post for the cor. of $\frac{1}{4}$ sec.
52.50	To a Brook. 6 links wide, Corner N.N.
80.30	Intersect the N.S. line 80 links E. of the post cor. of Sec. 3, 4, 9 & 10 Sand soil and timber same as last mile.
West	On the true line between Sec. 4 & 9 T. No. 9. N.R. No. 37.
40.15	Set the temp. post at the cor. dist. on the true line for the cor. of the $\frac{1}{4}$ sec. from which Sugar 12 in. dist. bears S 87 E. 11 links west &

80.30	Run on 9 in. dist. bears N50W. 14 the dist; To the post cr. of sec. 4, 5, 8 & 9.
South 40.00 78.50	On all random line between Sec 8 & 9 T. N. 9. R. N. 37. Set a temp. post for the cr. of 1/4 sec. Intersect the East W. line 30 miles West of the post cr. of sec. 8, 9, 16 & 17. Can do him hills, good for farming; Timber some
North 39.25 78.50	On the true line between Sec 8 & 9 T. N. 9. R. N. 37. Set the temp. post at the corr. dist. on the true line for the cr. of 1/4 sec. from which a Beck. 9 in. dist. bears S63W. 27 miles dist; to Do 9 " " " N34E 12 " " To the post cr. of sec. 4, 5, 8 & 9.
West 40.00 79.89	Return Sec 7 & 18 T. N. 9. R. N. 37. Set a post for the cr. of 1/4 sec. from which a Beck. 10 in. dist. bears N74W. 20 miles dist; to Do 14 " " " S73E. 24 " " Intersect the West Boundary 170 miles North of the post cr. of sec. 12 & 13. T. N. 9. R. N. 47. & set a post for the cr. of sec. 7 & 18 from which a Dogwoods 5 in. dist. bears S12W. 11 miles dist; to Beck. 30 " " " N18E 30 " " Land broken & hilly; Timber some as last mile
West 9.50 40.00 79.53	Return Sec 6 & 7 T. N. 9. R. N. 37. To a Spring Branch. 3 miles wide corner S.W. Set a post for the cr. of 1/4 sec. from which a Poplar 18 in. dist. bears N67W. 45 miles dist; to a Beck. 9 " " " S8E 13 " " To a Beck 8 in. dist. which stands for the cr. of sec

T. N^o 9. N.R. N^o 37. 2nd Mer. Sec. 3

67 1/2 211 links North of the cor. of sec. 1 & 12
T. N^o 9. N.R. N^o 47.

Land is hilly soil with Timber some as last mile

North Return Sec. 5 & 6. T. N^o 9. N.R. N^o 37.

40.00 Set a post for the cor. of 1/4 sec. from which a
Bench 12 in. dia. bears S 47 N. 41 links dist; & a

Co. 10 " " " N 16 E 16 " "

76.20 Enter at the N. Boundary 138 links West of the
post cor. of sec. 3 & 32 T. N^o 9. N.R. N^o 37. & set
a post for the cor. of sec. 5 & 6 from which a
Bench 12 in. dia. bears N 17 W. 38 links dist;
Land is level and Timber some as last mile.

North Return Sec. 4 & 5 T. N^o 9. N.R. N^o 37.

40.00 Set a post for the cor. of 1/4 sec. from which a
Bench 15 in. dia. bears N 84 W. 26 links dist; & a

Post 28 " " " S 85 E. 9 " "

Small Brook corner N.E.

77.16 Enter at the N. Boundary, 146 links West of the post
cor. of sec. 32 & 33 T. N^o 10. N.R. N^o 37. and set
a post for the cor. of sec. 4 & 5 from which a

Bench 15 in. dia. bears N 78 E. 18 links dist; & a

Co. 9 " " " N 78 W. 8 " "

Land is Broken & Hilly Timber some as last mile

Surveyed by

William Harris D.S.

447

D. No 9. N. R. No 3. W. 2nd Mer. Ind.

Certify that the foregoing transcript of the
Field notes of Township No 9. North, of Range
No 3 West, of the 2nd Principal Meridian, in
Indiana has been compared with the original
note in this Office, and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 17. 1840

J. S. Baird
Sur. Genl.